

1. Product and Manufacturer Identification

Product Name: Fabric Protector
Product Use: Liquid after-spray for upholstery protection
Manufacturer: Racine Industries, Inc.
 1405 Sixteenth Street
 Racine, WI 53403 USA
 Tel: 1-262-637-4491;
 1-800-558-9439
Emergency contact after hours: Marc@ 1-815-382-8238
 (8am-4:30pm CST) msiwek@hostdry.com
 or Greg @ 1-262-681-7431

EU Contact: Host UK Ltd. t/a Host Von Schrader
 Unit 8 Parkway Business Centre
 Sixth Avenue, Zone 2 Deeside Industrial Park
 Deeside, CH5 2LD
 Tel – 01244-289256 (8-5 GMT)
 Email – info@hostvs.co.uk
 Web – www.hostvonschrader.co.uk

2. Hazard Identification

Emergency Overview: Harmful (Xn): may cause lung damage if swallowed. H305.
 Irritating (Xi) to eyes, respiratory system, and skin. H320/H335/H315



Combustible (US)/Flammable — H226 (EU)

Potential Health Hazards:

SKIN: Irritating to skin. (H315)
EYES: Irritating to eyes. (H320)
INHALATION: Irritating to respiratory system (H333) aspiration hazard, aerosol hazard — see sections 8 and 11.
INGESTION: Irritating— aspiration hazard — see section 11.
ENVIRONMENT Classified same as petroleum oil—see section 12

3. Composition/ Information On Ingredients

Ingredient Name	CAS#	EC#	Weight %	EU Risk Class (See Section 16)
Aliphatic Hydrocarbon	64742-48-9	265-150-3	>80	Xn R65, XI R36/37/38, F, R10
Perfluoro alkyl/alkyl copolymer resin	NA	NA	<20	Xi R36/37/38

4. First Aid Measures

SKIN: After contact with skin, wash with plenty of water. (S28).
EYES: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. (S26)
INHALATION: Avoid exposure-obtain special instructions before use. (S53) See section 11. In case of accident, or if you feel unwell, seek medical advice immediately (show label/MSDS where possible). (S45).
INGESTION: Aspiration Hazard. If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label. (S62).

5. Fire Fighting Measures

Flammable Properties:
FLASH POINT: 120° F TCC—Combustible (Flammable R10 – EU)
Extinguishing Media: Dry chemical, foam, carbon dioxide, water fog.
Unusual Fire And Explosion Hazards: Combustion by-products may include toxic compounds (above 395F), LEL 0.7%, UEL 5.4% @ 77F, heavy vapor — flashback possible.
Special Fire Fighting Procedures: As a general precaution, firefighters and others exposed, wear self-contained breathing apparatus.

6. Accidental Release Measures

Spill And Leak Procedures: Small spills can be wiped up. Keep out of water sources and sewers. Absorb with noncombustible sand or earth, and shovel up into an appropriate container.

7. Handling And Storage

Handling Procedures: Avoid contact with eyes and skin. (S24/25) Do not breathe vapors or aerosols. (S23)
Storage Procedures: Keep out of reach of children. (S2)
 Keep away from sources of ignition — no smoking. (S16)

8. Exposure Controls/ Personal Protection

Exposure Guidelines
Engineering Controls: Use general ventilation. Local exhaust is suggested for use, where possible, in enclosed or confined spaces.
Personal Protective Equipment:
Skin Protection: Use gloves resistant to petroleum oils, like neoprene.
Eye Protection: Use safety glasses with side shields.
Respiratory Protection: No special requirements under normal use conditions when using adequate ventilation.
Additional Recommendations: Avoid aerosolizing—use proper sprayer (VS quart or 1.5 gallon pump-up sprayers, or airless power sprayer).

9. Physical And Chemical Properties

Appearance:	Clear, colorless liquid
Odor:	Light solvent odor
pH:	Not applicable
Specific Gravity:	0.8
Flash point:	120°F TCC
Water Solubility:	< 0.01%
% VOCs:	>80%

10. Stability And Reactivity

Chemical Stability:	The product is stable.
Incompatibility:	None known
Hazardous Decomposition:	Combustion by-products may include toxic compounds (above 395F)
Hazardous Polymerization:	Will not occur

11. Toxicological Information

Immediate (Acute) Effects:	Irritating to eyes, respiratory system, and skin. (R36/37/38) Repeated exposure may cause skin dryness and cracking. (R66) Acute inhalation toxicity: may cause lung damage if swallowed. (R65) If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label. Inhalation of large amounts may cause CNS effects, including dizziness and anesthetic effects.
Delayed (Sub chronic and Chronic) Effects:	Contains a fluoropolymer — must not be aerosolized when applied or worker will breath it in — recommend sprayer with large droplet size.

12. Ecological Information

Ecotoxicity	No data for product; components exhibit moderate toxicity to fish.	
Environmental Fate:	Mobility:	Components are not miscible in water
	Persistence:	Similar to petroleum oil – slowly evaporates from surface. Harmful to the environment. (N)
	Bioaccumulative Potential:	None known for any of the components

13. Disposal Considerations

This material is not a hazardous waste defined by the U.S. Resource, Conservation and Recovery Act (RCRA), 40 CFR 261; however only dispose of in accordance with applicable Federal, State and Local regulations.

14. Transportation Information

DOT and TDG Classification:

Proper Shipping Name: Non-hazardous; no special labeling required. UN/NA: Not applicable Hazard Class: Not applicable

15. Regulatory Information

Ingredient Inventory Status

USA (TSCA)	Listed
Canada (DSL)	Listed
Europe (EINECS/ ELINCS)	Listed

Additional Information

DOT (Canada and US)	No special labeling
Canadian WHMIS:	Not a controlled substance; no special labeling
Canadian Consumer Regulations:	Not a regulated substance; no special labeling
California Proposition 65:	Not applicable
States' Right to Know:	No special labeling required
EU Regulations:	Not a dangerous preparation; no special labeling required
CERCLA Reportable Quantities:	Not applicable
SARA Title III:	Not applicable

16. Other Information

HAZARD RATING	HMIS	NFPA
Health	1	1
Flammability	1	1
Physical Hazard	0	0
PPE	None required	

This product is a commercial fabric protection chemical for use by professionals.

Classified as irritating (Xi) harmful (Xn) and flammable (F) per EU (CHIP schedule 3)

Risk phrases: R36/37/38 irritating to eyes, respiratory system and skin.
 R65 harmful: may cause lung damage if swallowed.
 R10 flammable.

Other hazard definitions:
 R37/38 (irritating to skin and respiratory system),
 Xn R22 (harmful if swallowed),
 R41 risk of serious damage to eyes.
 N Harmful to the environment.

Safety phrases: S2 Keep out of reach of children
 S16 Keep away from sources of ignition — no smoking
 S23 Do not breathe vapors or aerosols
 S24/25 Avoid contact with eyes and skin
 S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
 S28 After contact with skin, wash with plenty of water
 S45 In case of accident, or if you feel unwell, seek medical advice immediately (show label/MSDS where possible).
 S53 Avoid exposure-obtain special instructions before use.
 S62 Aspiration hazard. If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

Von Schrader Company (VS) furnishes the data contained here in good faith at customer's request without liability or legal responsibility for same what so ever and no warranty or guarantee, expressed or implied, is made with respect to such data nor does VS grant permission, recommendation or inducement to infringe any patent whether owned by VS others. The data is offered solely for your information and consideration. Since conditions of use are beyond Von Schrader's control, user assumes all responsibility and risk.